MAN TGX 18.440 4X2 LLS

SH03241022



Price **7,990 EUR** (net)

9,508 EUR (gross)

27.07.2025 Offer Date

Tractor unit Body type 1st reg. 01/2014

Power 324kW (441 HP)

Mileage 1140140 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN

TGX Model serie

Model variant TGX TG2

Body type Tractor unit

Colours white Driver's cab XXL

2 berths Berths

TECHNICAL DATA

Power 324 kW (441 HP)

Fuel Diesel

Manual Gearbox type

Wheel drive 4x2

Suspension Air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg

Rear overhang 800 mm

Wheel base Fuel tank AdBlue: 100 I

Fuel tank: 450 l

Fuel tank: 760 I

3600 mm

Emission category **EEV**



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional leather steering wheel
- CB radio
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- Spare wheel

Assistance systems

- Cruise control
- MAN BrakeMatic

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Electr. lifting sunroof
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Cornering light
- Daytime running lights
- Ambient lighting

Audio & communication

Radio/CD



Speed limiter

Wheels and tyres

Spare wheel carrier

Equipment packages

Aero package

Others

front air suspension 8.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, fuel filter heating, cab tilt mechanism hydraulic/ electric, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (7-7-pin)