

MAN TGX 18.440 4X2 LLS-U

SH04920724



| | |
|------------------|-----------------------------|
| Body type | Tractor unit |
| 1st reg. | 02/2017 |
| Power | 324kW (441 HP) |
| Mileage | 725793 km |
| Storage location | Otopeni - MHS Truck Service |

BASIC DATA

| | |
|---------------|---------------------|
| Brand | MAN |
| Model serie | TGS |
| Model variant | TGS TG2 |
| Body type | Tractor unit (Mega) |
| Colours | white |
| Driver's cab | XLX |
| Berths | 2 berths |

TECHNICAL DATA

| | |
|--------------|-----------------|
| Power | 324 kW (441 HP) |
| Fuel | Diesel |
| Gearbox type | Semiautomatic |
| Wheel drive | 4x2 |
| Suspension | Air suspension |
| Axles | 2 axles |

Price **12,990 EUR** (net)

15,718 EUR (gross)

Offer Date 19.05.2026

WEIGHTS AND MEASURES

| | |
|-------------------|--|
| GVW | 18,000 kg |
| Rear overhang | 800 mm |
| Wheel base | 3600 mm |
| Fuel tank | AdBlue: 80 l Fuel tank: 480 l Fuel tank: 480 l |
| Emission category | Euro6 |

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Front seats adjustable in height
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Cornering light
- Daytime running lights

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Working lights
- Lifting roof (manual)
- Telematics system

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Efficientcruise
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2

- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

- Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 2 package

Others

- front air suspension 7.5 t, rear air suspension 11.5 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin)