

SH04830724

Tractor unit

680671 km

Service

338kW (460 HP)

Otopeni - MHS Truck

02/2018

# MAN TGX 18.460 4X2 BLS



18,990 EUR (net)

22,978 EUR (gross)

31.08.2025

Price

Offer Date

Body type 1st reg. Power Mileage

Storage location

## BASIC DATA

Brand	MAN
Model serie	TGL
Model variant	TGL TG2
Body type	Tractor unit (Standard)
Colours	white
Driver's cab	XLX
Berths	2 berths

## **TECHNICAL DATA**

Power	338 kW (460 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

## **WEIGHTS AND MEASURES**

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 I
	Fuel tank: 580 l
	Fuel tank: 580 l
Emission category	Euro6



## EQUIPMENT

#### Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

#### Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering
- Cooling box

#### Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Working lights
- Lifting roof (manual)
- Telematics system

#### Assistance systems

#### Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Front seats adjustable in height
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

#### Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights

#### Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector



- Efficientcruise
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

#### Wheels and tyres

Spare wheel carrier

## Equipment packages

- Aero package
- Efficientline 3 package

#### Others

front springs parabolic 7.5 t, rear air
suspension 13 t, hub reduction rear axle
Hypoid HY-1350, hypoid axle ratio i 2.53, fuel
filter heating, cab insulation NORDIC, wiring
for tank truck to ADR, ADR Typ AT,
equipment for dangerous goods to ADR, type
OX, supply kit for semitrailer with lifting axle or
moving-off aid, trailer socket 24V (15-pin),
pick-up plate 40 mm