

MAN TGX 18.460 4X2 LLS-U

SH0252823



Price **16,490 EUR** (net)

19,623 EUR (gross)

Offer Date 27.07.2025

Body type	Tractor unit
1st reg.	06/2018
Power	338kW (460 HP)
Mileage	544246 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Mega)
Colours	white
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	338 kW (460 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 80 l Fuel tank: 480 l Fuel tank: 480 l
Emission category	Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Front seats adjustable in height
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering

Light and sight

- Fog lights
- Rain sensor
- Tinted glass
- Automatic headlights
- Cornering light
- LED daytime running lights
- Light sensor

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- MAN AttentionGuard
- Working lights
- Lifting roof (manual)

■ Telematics system

Assistance systems

- Efficientcruise
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

- Spare wheel carrier

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Equipment packages

- Aero package
- Efficientline 3 package
- Safety light & sight package

Others

- front air suspension 7.5 t, rear air suspension 11.5 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, wiring for tank truck to ADR, ADR Typ AT, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin)