

# MAN TGX 18.480 4X2 BLS

SH02751225



Body type	Tractor unit
1st reg.	06/2016
Power	353kW (480 HP)
Mileage	790184 km
Storage location	Otopeni - MHS Truck Service

## BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	white
Berths	2 berths

## TECHNICAL DATA

Power	353 kW (480 HP)
Fuel	Diesel
Gearbox type	Automatic
Suspension	Leaf air suspension
Axles	2 axles

Price	<b>17,990 EUR</b> (net)
	<b>21,768 EUR</b> (gross)
Offer Date	23.05.2026

## WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 l Fuel tank: 580 l Fuel tank: 580 l
Emission category	Euro6

## EQUIPMENT

### Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

### Interior

- Board computer
- Multifunctional steering wheel
- CB radio
- Digital tachograph
- Carpet floor covering
- Cooling box

### Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO
- Fifth wheel
- 1x15 pin plug
- Spare wheel
- Cab Suspension
- Working lights
- Axle load indicator
- Lifting roof (manual)

### Assistance systems

### Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Stationary air conditioning
- Isolated driver's cab
- DC/AC converter

### Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights

### Audio & communication

- Radio/CD
- AUX & USB connector

- █ Cruise control
- █ MAN BrakeMatic
- █ Brake assist: Emergency Brake Assist 2
- █ Lane-Guard-System LGS
- █ Hill Hold Control HHC
- █ efficientroll
- █ Speed limiter

### **Wheels and tyres**

- █ Spare wheel carrier

### **Equipment packages**

- █ Aero package
- █ Efficientline 2 package

### **Others**

- █ front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), pick-up plate 40 mm