

MAN TGX 18.510 4X2 BLS

SH02491025



Price	32,990 EUR (net)
	39,918 EUR (gross)
Offer Date	09.01.2026

Body type	Tractor unit
1st reg.	01/2020
Power	375kW (510 HP)
Mileage	377472 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	orange
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	375 kW (510 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3900 mm
Fuel tank	AdBlue: 80 l Fuel tank: 710 l
Emission category	Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror: right
- Electr./heated wide angle mirror
- Flashing beacon

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Front armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Heated front seats
- Air-suspended front seats
- Front lumbar supports
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- CB radio
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Xenon light
- Tinted glass
- Headlight range control
- Headlight cleaning system
- Cornering light
- LED daytime running lights
- Ambient lighting

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO
- Fifth wheel
- 1x15 pin plug
- MAN AttentionGuard
- Cab Suspension

- Working lights
- Axle load indicator
- Lifting roof (manual)
- RIO Box

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- Soundsystem
- AUX & USB connector

Assistance systems

- Automatic distance control ACC with stop and go
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Equipment packages

- Comfort electric package
- Safety plus package

Wheels and tyres

- Spare wheel carrier

Others

- front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, cab insulation NORDIC, cross member for trailer coupling, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), pick-up plate 40 mm