MAN

MAN TGX 18.440 4X2 BLS

SH01350625





Price

9,990 EUR (net)

12,088 EUR (gross)

Offer Date 08.08.2025

Body type Tractor unit

1st reg. 12/2012

Power 324kW (441 HP)

Mileage 935754 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Standard)

Colours white

Driver's cab XLX

Berths 2 berths

TECHNICAL DATA

Power 324 kW (441 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg

Rear overhang 800 mm

Wheel base 3600 mm

Fuel tank AdBlue: 100 l

Fuel tank: 450 I

Fuel tank: 760 l

Emission category EEV



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Electr. and heated kerb mirror: right
- Electr./heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Electr. lifting sunroof
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional leather steering wheel
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Ambient lighting

Audio & communication

- Radio/CD: MAN BasicLine 24V
- Mobile phone preparation Bluetooth
- Soundsystem

Assistance systems

- Cruise control
- MAN BrakeMatic
- Hill Hold Control HHC
- Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock

WWW.MAN-RULATE.RO



- Fifth wheel
- Spare wheel
- Cab Suspension
- Working lights

Wheels and tyres

Spare wheel carrier

Equipment packages

- Comfort electric package
- Aero package

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.85, fuel filter heating, cab insulation NORDIC, supply kit for semitrailer with lifting axle or moving-off aid, electrical preparation for retrofit of a PTO, trailer socket 24V (7-7-pin), Preparation for MAN Telematics GPRS, pick-up plate 40 mm