MAN

MAN TGX 18.460 4X2 BLS

SH0045323



Price **29,700 EUR** (net)

35,343 EUR (gross)

Offer Date 22.07.2025

Body type Tractor unit

1st reg. 01/2019

Power 338kW (460 F

Power 338kW (460 HP)

Mileage 541395 km

Storage location Craiova

BASIC DATA

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Standard)

Colours white

Driver's cab XXL

Berths 2 berths

TECHNICAL DATA

Power 338 kW (460 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg

Rear overhang 800 mm

Wheel base 3600 mm

Fuel tank AdBlue: 80 I

Fuel tank: 580 I

Fuel tank: 580 l

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror
- Flashing beacon

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Electr. lifting sunroof
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Stationary air conditioning
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Ambient lighting

Audio & communication

- MAN Media Pack Navigation
- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Efficientcruise
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Exterior



- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO
- Shunting coupler: ROCKINGER SK5
- Fifth wheel
- 1x15 pin plug
- Working lights
- Information and service system
- Telematics system

Wheels and tyres

Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 3 package
- Safety plus package

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, wiring for tank truck to ADR, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), pick-up plate 40 mm