# MAN

# **MAN TGX 18.460 4X2 BLS**

### SHV002725



Price **36,990 EUR** (net)

**44,758 EUR** (gross)

Offer Date 08.08.2025

Body type Tractor unit

1st reg. 05/2019

Power 338kW (460 HP)

Mileage 227754 km

Storage location Otopeni - MHS Truck

Service

#### **BASIC DATA**

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Standard)

Colours white

Driver's cab XL

Berths 1 berth

#### **TECHNICAL DATA**

Power 338 kW (460 HP)

Fuel Diesel

Gearbox type Manual

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

#### **WEIGHTS AND MEASURES**

GVW 18,000 kg

Rear overhang 750 mm

Wheel base 3600 mm

Fuel tank AdBlue: 60 I

Fuel tank: 400 l

Emission category Euro6



# **EQUIPMENT**

#### **Safety**

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Immobilizer
- Kerb mirror: right
- Heated wide angle mirror

#### Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Sun visor
- Carpet floor covering

#### **Assistance systems**

- Cruise control
- MAN BrakeMatic
- Speed limiter

#### **Exterior**

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO: PTO NH/1C without flange f0.91/1.09right side, horizontal
- Fifth wheel

#### Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Cup holder front
- Isolated driver's cab
- DC/AC converter

#### **Audio & communication**

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

#### Light and sight

- Tinted glass
- Headlight range control
- Daytime running lights



- 1x15 pin plug
- Cab Suspension
- Working lights
- Lifting roof (manual)
- RIO Box

#### **Others**

front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle AP HP-1352, planetary axle ratio i 3.63, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, trailer socket 24V (15-pin), pick-up plate 40 mm

## Wheels and tyres

Spare wheel carrier